

# Information Extraction

Lecture 11 – Sentiment Analysis

CIS, LMU München

Winter Semester 2015-2016

Dr. Alexander Fraser, CIS

# Administravia I

- Four admin topics today
  - 1) Web page now up-to-date, please check your row in the table!
    - Many people have not sent me slides, please do this ASAP!
  - 2) Three weeks means three weeks in which we have any class (i.e., the next two weeks do not count towards your three weeks)
  - 3) Prüfungstermin (next slide)
  - 4) Prüfungsanmeldung (following slide)

# Administravia II

- Klausur ist am 27.01 (Mittwoch), hier, jetzt (16:00 c.t.)
  - Papier mitbringen

# Administravia III

- Prüfungsanmeldung
  - IE has two Prüfungen
    - Klausur (Vorlesung)
    - Referat/Hausarbeit Note (Seminar)
  - Please make sure you are registered for the Prüfung(en) you want!
  - Make sure you are *\*not\** registered for the Prüfung (if any) you do *\*not\** want!
  - The Prüfungsamt will refuse to make changes if you do not do the registration in LSF, so, DO THIS!

# Addition from last time

- I was referring to the Open IE group associated with **Gerhard Weikum** at Max-Planck-Institut für Informatik (Saarbrücken) last time, I forgot to say his name.

# Sentiment Analysis

- Determine if a sentence/document expresses positive/negative/neutral sentiment towards some object

# Some Applications

- **Review classification:** Is a review positive or negative toward the movie?
- **Product review mining:** What features of the ThinkPad T43 do customers like/dislike?
- **Tracking sentiments toward topics over time:** Is anger ratcheting up or cooling down?
- **Prediction (election outcomes, market trends):** Will Romney or Obama win?
- *Etcetera*

# Level of Analysis

We can inquire about sentiment at various linguistic levels:

- Words – objective, **positive**, **negative**, **neutral**
- Clauses – “*going out of my mind*”
- Sentences – possibly multiple sentiments
- Documents



# Words

- Adjectives
  - objective: red, metallic
  - positive: honest important mature large patient
  - negative: harmful hypocritical inefficient
  - subjective (but not positive or negative):  
curious, peculiar, odd, likely, probable

# Words

## – Verbs

- positive: **praise, love**
- negative: **blame, criticize**
- subjective: **predict**

## – Nouns

- positive: **pleasure, enjoyment**
- negative: **pain, criticism**
- subjective: **prediction, feeling**

# Clauses

- Might flip word sentiment
  - “*not good at all*”
  - “*not all good*”
- Might express sentiment not in any word
  - “*convinced my watch had stopped*”
  - “*got up and walked out*”

# Sentences/Documents

- Might express multiple sentiments
  - *“The acting was great but the story was a bore”*
- Problem even more severe at document level

# Two Approaches to Classifying Documents

- **Bottom-Up**
  - Assign sentiment to words
  - Derive clause sentiment from word sentiment
  - Derive document sentiment from clause sentiment
  
- **Top-Down**
  - Get labeled documents
  - Use text categorization methods to learn models
  - Derive word/clause sentiment from models

# Some Special Issues

- Whose opinion?

(Writer)

(writer, Xirao-Nima, US)

(writer, Xirao-Nima)

“The US **fears** a spill-over”, **said** Xirao-Nima, a professor of foreign affairs at the Central University for Nationalities.

# Some Special Issues

- Whose opinion?
- Opinion about what?

# Laptop Review

- I should say that I am a **normal** user and this laptop satisfied all my expectations, the screen size is **perfect**, its very **light, powerful, bright**, lighter, elegant, delicate... But the only think that I regret is the Battery life, barely 2 hours... some times less... it is **too short**... this laptop for a flight trip is **not good** companion...  
Even the short battery life I can say that I am **very happy** with my Laptop VAIO and I consider that I did the best decision. I am sure that I did the **best** decision buying the SONY VAIO



# Word Sentiment

Let's try something simple

- Choose a few seeds with known sentiment
- Mark synonyms of **good** seeds: **good**
- Mark synonyms of **bad** seeds: **bad**
- Iterate

# Word Sentiment

Let's try something simple

- Choose a few seeds with known sentiment
- Mark synonyms of **good** seeds: **good**
- Mark synonyms of **bad** seeds: **bad**
- Iterate

Not quite.

**exceptional** -> **unusual** -> **weird**



# Better Idea

Hatzivassiloglou & McKeown 1997

1. Build training set: label all adj. with frequency  $> 20$ ; test agreement with human annotators
2. Extract all **conjoined** adjectives

Web

Results 1 - 10 of about 762,000 for "was [very nice](#) and".

## [The Homestay Experience - Cultural Kaleidoscope 2006](#)

My host's home **was very nice and** comfortable. I got to try all types of food; Malaysian, Chinese, Indonesian and I loved it all. My host's parents were very ...

[www.gardenschool.edu.my/studentportal/aec/Kaleidoscope06/experience.asp](http://www.gardenschool.edu.my/studentportal/aec/Kaleidoscope06/experience.asp) - 10k -

[Cached](#) - [Similar pages](#) - [Note this](#)

## [PriceGrabber User Rating for Watch Your Budget - PriceGrabber.com](#)

Reviews, Camera I purchased **was very nice and** a bargain. There was a problem with shipping, but was resolved quickly. Buy with confidence from this vendor. ...

[www.pricegrabber.com/rating\\_getreview.php?retid=5821](http://www.pricegrabber.com/rating_getreview.php?retid=5821) - [Similar pages](#) - [Note this](#)

## [Testimonials](#)

"Everybody **was very nice and** service was as fast as they possibly could. ... "Staff member who helped me **was very nice and** easy to talk to." ...

[www.sa.psu.edu/uhs/news/testimonials.cfm](http://www.sa.psu.edu/uhs/news/testimonials.cfm) - 22k - [Cached](#) - [Similar pages](#) - [Note this](#)

## [Naxos Villages - Naxos Town or Chora Reviews: Very nice and very ...](#)

-Did you enjoy the trip to Naxos Town: Yes it **was very nice and** very scenic. -In order to get to the village were there enough signs in order to find it: It ...





nice **and** comfortable  
nice **and** scenic



# Hatzivassiloglou & McKeown 1997


3. A supervised learning algorithm builds a **graph** of adjectives linked by the same or different semantic orientation





# Hatzivassiloglou & McKeown 1997

4. A **clustering algorithm** partitions the adjectives into two subsets



# Even Better Idea Turney 2001

- Pointwise Mutual Information (Church and Hanks, 1989):

$$\text{PMI}(word_1, word_2) = \log_2 \left( \frac{p(word_1 \wedge word_2)}{p(word_1)p(word_2)} \right)$$

# Even Better Idea Turney 2001

- Pointwise Mutual Information (Church and Hanks, 1989):

$$\text{PMI}(word_1, word_2) = \log_2 \left( \frac{p(word_1 \wedge word_2)}{p(word_1)p(word_2)} \right)$$

- Semantic Orientation:

$$\text{SO}(phrase) = \text{PMI}(phrase, "excellent") - \text{PMI}(phrase, "poor")$$

# Even Better Idea Turney 2001

- Pointwise Mutual Information (Church and Hanks, 1989):

$$\text{PMI}(word_1, word_2) = \log_2 \left( \frac{p(word_1 \wedge word_2)}{p(word_1)p(word_2)} \right)$$

- Semantic Orientation:

$$\text{SO}(phrase) = \text{PMI}(phrase, "excellent") - \text{PMI}(phrase, "poor")$$

- PMI-IR estimates PMI by issuing queries to a search engine

$$\text{SO}(phrase) = \log_2 \left( \frac{\text{hits}(phrase \text{ NEAR } "excellent") \text{hits}("poor")}{\text{hits}(phrase \text{ NEAR } "poor") \text{hits}("excellent")} \right)$$



# Resources

These -- and related -- methods have been used to generate sentiment dictionaries

- Sentinet
- General Enquirer
- ...

# Bottom-Up: Words to Clauses

- Assume we know the “polarity” of a word
- Does its context flip its polarity?

# Prior Polarity versus Contextual Polarity

Wilson et al 2005

- **Prior polarity**: out of context, positive or negative
  - beautiful* → positive
  - horrid* → negative
- A word may appear in a phrase that expresses a different polarity in context

“Cheers to Timothy Whitfield for the **wonderfully horrid** visuals.”

**Contextual polarity**

# Example

Philip Clap, President of the National Environment Trust, sums up well the general thrust of the reaction of environmental movements: there is no reason at all to believe that the polluters are suddenly going to become reasonable.


# Example

Philip Clap, President of the National Environment **Trust**, sums up **well** the general thrust of the reaction of environmental movements: there is no **reason** at all to believe that the **polluters** are suddenly going to become **reasonable**.


# Example

Philip Clap, President of the National Environment ~~Trust~~, sums up well the general thrust of the reaction of environmental movements: there is no reason at all to believe that the ~~polluters~~ are suddenly going to become reasonable.





- Word token
- Word prior polarity
- Negated
- Negated subject
- Modifies polarity
- Modified by polarity
- Conjunction polarity
- General polarity shifter
- Negative polarity shifter
- Positive polarity shifter




- **Word token**
- **Word prior polarity**
- Negated
- Negated subject
- Modifies polarity
- Modified by polarity
- Conjunction polarity
- General polarity shifter
- Negative polarity shifter
- Positive polarity shifter

Word token  
*terrifies*

Word prior polarity  
**negative**






- Word token
- Word prior polarity
- **Negated**
- **Negated subject**
- Modifies polarity
- Modified by polarity
- Conjunction polarity
- General polarity shifter
- Negative polarity shifter
- Positive polarity shifter

### Binary features:

- **Negated**  
For example:
  - *not good*
  - *does not look very good*
  - ❖ *not only good but amazing*
- **Negated subject**  
*No politically prudent Israeli could support either of them.*



- Word token
- Word prior polarity
- Negated
- Negated subject
- **Modifies polarity**
- **Modified by polarity**
- Conjunction polarity
- General polarity shifter
- Negative polarity shifter
- Positive polarity shifter

- **Modifies polarity**  
**5 values:** positive, negative, neutral, both, not mod


*substantial: negative*

- **Modified by polarity**  
**5 values:** positive, negative, neutral, both, not mod

*challenge: positive*

*substantial* (pos) *challenge* (neg)





- Word token
- Word prior polarity
- Negated
- Negated subject
- Modifies polarity
- Modified by polarity
- **Conjunction polarity**
- General polarity shifter
- Negative polarity shifter
- Positive polarity shifter


- **Conjunction polarity**

**5 values:** positive, negative, neutral, both, not mod

*good: negative*


*good* (pos) and *evil* (neg)








- Word token
- Word prior polarity
- Negated
- Negated subject
- Modifies polarity
- Modified by polarity
- Conjunction polarity
- **General polarity shifter**
- **Negative polarity shifter**
- **Positive polarity shifter**

- General polarity shifter  
*pose **little** threat*  
*contains **little** truth*
- Negative polarity shifter  
***lack** of understanding*
- Positive polarity shifter  
***abate** the damage*



## Results 2a





# Top-Down Sentiment Analysis

- So far we've seen attempts to determine document sentiment from word/clause sentiment
- Now we'll look at the old-fashioned supervised method: get labeled documents and learn models

# Finding Labeled Data

- Online reviews accompanied by star ratings provide a ready source of labeled data
  - movie reviews
  - book reviews
  - product reviews



# Movie Reviews (Pang, Lee and V. 2002)

- Source: Internet Movie Database (IMDb)
- 4 or 5 stars = positive; 1 or 2 stars = negative
  - 700 negative reviews
  - 700 positive reviews

# Evaluation

- Initial feature set:
  - 16,165 unigrams appearing at least 4 times in the 1400-document corpus
  - 16,165 most often occurring bigrams in the same data
  - Negated unigrams (when "not" appears to the left of a word)
- Test method: 3-fold cross-validation  
(so about 933 training examples)

# Results

	Features	# of features	frequency or presence?	NB	ME	SVM
(1)	unigrams	16165	freq.	<b>78.7</b>	N/A	72.8
(2)	unigrams	”	pres.	81.0	80.4	<b>82.9</b>
(3)	unigrams+bigrams	32330	pres.	80.6	80.8	<b>82.7</b>
(4)	bigrams	16165	pres.	77.3	<b>77.4</b>	77.1
(5)	unigrams+POS	16695	pres.	81.5	80.4	<b>81.9</b>
(6)	adjectives	2633	pres.	77.0	<b>77.7</b>	75.1
(7)	top 2633 unigrams	2633	pres.	80.3	81.0	<b>81.4</b>
(8)	unigrams+position	22430	pres.	81.0	80.1	<b>81.6</b>

Figure 3: Average three-fold cross-validation accuracies, in percent. Boldface: best performance for a given setting (row). Recall that our baseline results ranged from 50% to 69%.

# Observations

- In most cases, SVM slightly better than NB
- Binary features good enough
- Drastic feature filtering doesn't hurt much
- Bigrams don't help (others have found them useful)
- POS tagging doesn't help
- Benchmark for future work: 80%+

# Looking at Useful Features

- Many top features are unsurprising (e.g. *boring*)
- Some are very unexpected
  - *tv* is a negative word
  - *flaws* is a positive word
- That's why bottom-up methods are fighting an uphill battle


# Other Genres

- The same method has been used in a variety of genres
- Results are better than using bottom-up methods
- Using a model learned on one genre for another genre does not work well

# Cheating (Ignoring Neutrals)


- One nasty trick that researchers use is to ignore neutral data (e.g. movies with three stars)
- Models learned this way won't work in the real world where many documents are neutral
- The optimistic view is that neutral documents will lie near the negative/positive boundary in a learned model.

# A Perfect World






# A Perfect World



# The Real World



# Some Obvious Tricks

- Learn separate models for each category or
- Use regression to score documents

But maybe with some ingenuity we can do even better.

# Corpus

We have a corpus of 1974 reviews of TV shows, manually labeled as positive, negative or neutral

Note: neutrals means either no sentiment (most) or mixed (just a few)

For the time being, let's do what most people do and ignore the neutrals (both for training and for testing).

# Basic Learning

- Feature set: 500 highest infogain unigrams
- Learning algorithm: SMO
- 5-fold CV Results: 67.3% correctly classed as positive/negative

OK, but bear in mind that this model won't class any neutral test documents as neutral – that's not one of its options.

# So Far We Have Seen..

... that you need neutral training examples to classify neutral test examples

In fact, it turns out that neutral training examples are useful even when you know that all your test examples are positive or negative (not neutral).

# Multiclass Results

OK, so let's consider the three class (positive, negative, neutral) sentiment classification problem.

On the same corpus as above (but this time not ignoring neutral examples in training and testing), we obtain accuracy (5-fold CV) of:

- **56.4%** using multi-class SVM
- **69.0%** using linear regression

# Can We Do Better?





But actually we can do much better by combining pairwise (pos/neg, pos/neut, neg/neut) classifiers in clever ways.

When we do this, we discover that pos/neg is the least useful of these classifiers (even when all test examples are known to not be neutral).

Let's go to the videotape...



# Optimal Stack

	Pos Vs	Pos Vs	Neut Vs	Actual category		
	Neg	Neut	neg	neg	neut	pos
	Neg	Neut	Neg	<b>354</b>	52	
	Neg	Neut	Neut	117	<b>154</b>	148
	Neg	Pos	Neg		<b>47</b>	
	Neg	Pos	Neut		9	<b>108</b>
	Pos	Neut	Neg	<b>145</b>	69	
	Pos	Neut	Neut	42	<b>225</b>	46
	Pos	Pos	Neg		<b>90</b>	
	Pos	Pos	Neut		12	<b>356</b>

# Optimal Stack

Here's the best way to combine pairwise classifiers for the 3-class problem:

- *IF positive > neutral > negative THEN class is positive*
- *IF negative > neutral > positive THEN class is negative*
- *ELSE class is neutral*

Using this rule, we get accuracy of 74.9%

(OK, so we cheated a bit by using test data to find the best rule. If, we hold out some training data to find the best rule, we get accuracy of 74.1%)

# Key Point

Best method does not use the positive/negative model at all – only the positive/neutral and negative/neutral models.

This suggests that we might even be better off learning to distinguish positives from negatives by comparing each to neutrals rather than by comparing each to each other.

# Positive /Negative models

So now let's address our original question. Suppose I know that all test examples are not neutral. Am I still better off using neutral training examples?

Yes.

Above we saw that using (equally distributed) positive and negative training examples, we got **67.3%**

Using our optimal stack method with (equally distributed) positive, negative and neutral training examples we get **74.3%**

(The total number of training examples is equal in each case.)

Slide from Koppel/Pang/Gamon

# Can Sentiment Analysis Make Me Rich?


# Can Sentiment Analysis Make Me Rich?

NEWSWIRE 4:08PM 10/12/04

STARBUCKS SAYS CEO ORIN SMITH TO RETIRE IN MARCH 2005

- How will this messages affect Starbucks stock prices?

# Impact of Story on Stock Price



- Are price moves such as these predictable?
- What are the critical text features?
- What is the relevant time scale?

# General Idea

- Gather news stories
- Gather historical stock prices
- Match stories about company X with price movements of stock X
- Learn which story features have positive/negative impact on stock price



# Experiment

- MSN corpus
  - 5000 headlines for 500 leading stocks  
September 2004 – March 2005.
- Price data
  - Stock prices in 5 minute intervals

# Feature set

- Word unigrams and bigrams.
- 800 features with highest infogain
- Binary vector

# Defining a headline as positive/negative

- If stock price rises more than  $\Delta$  during interval T, message classified as positive.
- If stock price declines more than  $\Delta$  during interval T, message is classified as negative.
- Otherwise it is classified as neutral.

With larger delta, the number of positive and negative messages is smaller but classification is more robust.

# Trading Strategy

- Assume we buy a stock upon appearance of “positive” news story about company.
- Assume we short a stock upon appearance of “negative” news story about company.
- We exit when stock price moves  $\Delta$  in either direction or after 40 minutes, whatever comes first.

Do we earn a profit?

# Do we earn a profit?

- If this worked, I'd be driving a red convertible. (I'm not.)

# Predicting the Future

- If you are interested in this problem in general, take a look at:

Nate Silver

**The Signal and the Noise: Why So  
Many Predictions Fail - but  
Some Don't**

2012

(Penguin Publishers)

# Sentiment - Other Issues

- Somehow exploit NLP to improve accuracy
- Identify which specific product features sentiment refers to (fine-grained)
- “Transfer” sentiment classifiers from one domain to another (domain adaptation)
- Summarize individual reviews and also collections of reviews



- Slide sources
  - Nearly all of the slides today are from Prof. Moshe Koppel (Bar-Ilan University)
- Further viewing:
  - I would recommend the 2011 AACL tutorial on sentiment analysis from Bing Liu (but it is quite technical)

- Thank you for your attention!